



**SAFETY DATA SHEET**  
HIGH DEFINITION WAX

Page: 1

Compilation date: 12/12/2007

Revision date: 23/04/2015

Revision No: 2

**Section 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

Product name: HIGH DEFINITION WAX

Product code: PWP30/140207

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Use of substance / mixture: Polish for use on motor vehicle bodies

**1.3. Details of the supplier of the safety data sheet**

Company name: AUTOGLYM

Works Road

Letchworth

Herts

SG6 1LU

UK

Tel: +44 (0) 1462 677766

Fax: +44 (0) 1462 677712

Email: [sds@autoglym.co.uk](mailto:sds@autoglym.co.uk)

**1.4. Emergency telephone number**

Emergency tel: +44 (0) 1462 489498 (24Hrs)

**Section 2: Hazards identification**

**2.1. Classification of the substance or mixture**

Classification under CHIP: -: R10

Classification under CLP: Flam. Sol. 1: H228; STOT SE 3: H336

Most important adverse effects: Flammable.

**2.2. Label elements**

Label elements under CLP:

Hazard statements: \* H228: Flammable solid.

H336: May cause drowsiness or dizziness.

Signal words: \* Danger

Hazard pictograms: \* GHS02: Flame

GHS07: Exclamation mark



[cont...]

# SAFETY DATA SHEET

## HIGH DEFINITION WAX

Page: 2

Precautionary statements: \* P102: Keep out of reach of children.

P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P280: Wear protective gloves.

P261: Avoid breathing vapours.

P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P312: Call a POISON CENTER or doctor if you feel unwell.

Label elements under CHIP:

Risk phrases: R10: Flammable.

Safety phrases: S2: Keep out of the reach of children.

### 2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

### 3.2. Mixtures

Hazardous ingredients:

DISTILLATES (PETROLEUM) HYDROTREATED LIGHT - REACH registered number(s): 01-2119484819-18-0001

EINECS	CAS	CHIP Classification	CLP Classification	Percent
265-149-8	64742-47-8	Xn: R65; -: R66 Substance with a Community workplace exposure limit.	Asp. Tox. 1: H304	10-30%

NAPHTHA (PETROLEUM) HYDROTREATED HEAVY

265-151-9	-	Xn: R65; -: R10; -: R66 Substance with a Community workplace exposure limit.	Asp. Tox. 1: H304; STOT SE 3: H336; Flam. Liq. 3: H226; -: EUH066	10-30%
-----------	---	---	--	--------

## Section 4: First aid measures

### 4.1. Description of first aid measures

**Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes.

**Ingestion:** Wash out mouth with water.

**Inhalation:** Move to fresh air in case of accidental inhalation of vapours.

### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be irritation of the throat.

**Inhalation:** No symptoms.

[cont...]

# SAFETY DATA SHEET

## HIGH DEFINITION WAX

Page: 3

### 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

## Section 5: Fire-fighting measures

### 5.1. Extinguishing media

Extinguishing media: Alcohol resistant foam. Water spray. Carbon dioxide. Dry chemical powder.

### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: Flammable. In combustion emits toxic fumes. Forms explosive air-vapour mixture.

### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

## Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Eliminate all sources of ignition.

### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Do not use equipment in clean-up procedure which may produce sparks.  
Refer to section 13 of SDS for disposal considerations.

### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

## Section 7: Handling and storage

### 7.1. Precautions for safe handling

Handling requirements: Smoking is forbidden. Use non-sparking tools. Ensure there is sufficient ventilation of the area.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed. Keep away from sources of ignition. Prevent the build up of electrostatic charge in the immediate area. Ensure lighting and electrical equipment are not a source of ignition.

### 7.3. Specific end use(s)

Specific end use(s): No data available.

[cont...]

# SAFETY DATA SHEET

HIGH DEFINITION WAX

Page: 4

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

Workplace exposure limits: No data available.

### DNEL/PNEC Values

DNEL / PNEC No data available.

### 8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area. Ensure lighting and electrical equipment are not a source of ignition.

Respiratory protection: Respiratory protection not required.

Hand protection: Nitrile gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

State: Wax

Colour: Yellow-brown

Evaporation rate: No data available.

Oxidising: No data available.

Solubility in water: Insoluble

Viscosity: Highly viscous

Boiling point/range°C: 200

Melting point/range°C: 40

Flammability limits %: lower: No data available.

upper: No data available.

Flash point°C: 47.6

Part.coeff. n-octanol/water: No data available.

Autoflammability°C: No data available.

Vapour pressure: No data available.

Relative density: 0.9

pH: Not applicable.

VOC g/l: No data available.

### 9.2. Other information

Other information: No data available.

## Section 10: Stability and reactivity

### 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

### 10.2. Chemical stability

Chemical stability: Stable under normal conditions. Stable at room temperature.

[cont...]

# SAFETY DATA SHEET

## HIGH DEFINITION WAX

Page: 5

### 10.3. Possibility of hazardous reactions

**Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions.  
Decomposition may occur on exposure to conditions or materials listed below.

### 10.4. Conditions to avoid

**Conditions to avoid:** Heat. Hot surfaces. Sources of ignition. Flames.

### 10.5. Incompatible materials

**Materials to avoid:** Strong oxidising agents. Strong acids.

### 10.6. Hazardous decomposition products

**Haz. decomp. products:** In combustion emits toxic fumes.

## Section 11: Toxicological information

### 11.1. Information on toxicological effects

**Toxicity values:** No data available.

### Symptoms / routes of exposure

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be irritation of the throat.

**Inhalation:** No symptoms.

## Section 12: Ecological information

### 12.1. Toxicity

**Hazardous ingredients:**

**DISTILLATES (PETROLEUM) HYDROTREATED LIGHT**

-	72H IC50	20	ppm
---	----------	----	-----

### 12.2. Persistence and degradability

**Persistence and degradability:** Biodegradable.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential:** No data available.

### 12.4. Mobility in soil

**Mobility:** Insoluble in water.

### 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

[cont...]

# SAFETY DATA SHEET

HIGH DEFINITION WAX

Page: 6

## 12.6. Other adverse effects

Other adverse effects: No data available.

## Section 13: Disposal considerations

### 13.1. Waste treatment methods

Waste code number: 140603

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## Section 14: Transport information

### 14.1. UN number

UN number: \* UN1325

### 14.2. UN proper shipping name

Shipping name: FLAMMABLE SOLID, ORGANIC, N.O.S.  
(NAPHTHA (PETROLEUM) HYDROTREATED HEAVY)

### 14.3. Transport hazard class(es)

Transport class: \* 4.1

### 14.4. Packing group

Packing group: III

### 14.5. Environmental hazards

Environmentally hazardous: No

Marine pollutant: No

### 14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: \* E

Transport category: 3

## Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

## Section 16: Other information

[cont...]

# SAFETY DATA SHEET

HIGH DEFINITION WAX

Page: 7

## Other information

Phrases used in s.2 and s.3: EUH066: Repeated exposure may cause skin dryness or cracking.

H226: Flammable liquid and vapour.

H228: Flammable solid.

H304: May be fatal if swallowed and enters airways.

H336: May cause drowsiness or dizziness.

R10: Flammable.

R65: Harmful: may cause lung damage if swallowed.

R66: Repeated exposure may cause skin dryness or cracking.

Legend to abbreviations: PNEC = predicted no effect level

DNEL = derived no effect level

LD50 = median lethal dose

LC50 = median lethal concentration

EC50 = median effective concentration

IC50 = median inhibitory concentration

dw = dry weight

bw = body weight

cc = closed cup

oc = open cup

MUS = mouse

GPG = guinea pig

RBT = rabbit

HAM = hamster

HMN = human

MAM = mammal

PGN = pigeon

IVN = intravenous

SCU = subcutaneous

SKN = skin

DRM = dermal

OCC = ocular/corneal

PCP = physico-chemical properties

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.